

BLUE PUCK T EN12830



Bluetooth Low Energy temperature datalogger

BENEFITS

- Approved EN12830 v2018 datalogger certification
- Very high autonomy : up to 10 Years
- High transmission range
- Waterproof (IP68)
- Smart & secure programming by NFC
- Over The Air Programming (OTAP)



TECHNICAL SPECIFICATIONS

OPERATING MODE

Frequency	2,4 GHz - Bluetooth Low Energy 4.0/4.2
Output power	Up to +4 dBm (configurable)
Range	Up to 500 meters open field (+4dBm)
Transmission period	Advertising period (0,1 sec to 10 sec – configurable in seconds)
Radio frame format	Identifier : 15 caracteres max (15 Bytes) Temperature : (0.01°C) (2 Bytes)
Settings and configuration	Interface/protocol: NFC (Type 2)
Connected mode	Download of 4,000 time-stamped temperature values Battery level command
Advertising mode	Periodic temperature data transmission
Sensors performance	Range: -40 to 85 °C Resolution: 0,0625 °C Accuracy: ±0.5°C maximum (0°C to 65 °C); ±1°C maximum (-40°C to 0°C & 65°C to 85°C) Calibration: Configurable 3-point calibration coefficients (Polynomial 2 nd degree)

BATTERY

Power supply	3 VDC - Internal lithium battery
Battery life	Up to 10 years* (0 dBm, 3 sec advertising period, 20 sec data logging period, 1 complete (4000 values) datalog download per day) <i>*Refer to the battery life curves for more information</i>
Battery level	Low battery warning in advertising frames (<15%) Battery voltage in scan response frames (configurable)

CERTIFICATIONS

Europe	CE : EN 300 328/ EN 301 489 & EN 55032 / EN 62368-1 EN12830 (2018) EN13486 calibration certification on demand
USA	FCC : FCC PART 15
Canada	ISED : RSS-247 / ICES-003
RoHs	Yes

HOUSING

Dimensions	Ø 57 mm base - Height 20 mm
Weight	41g
Materials	DELIRIN (POM C) Compatible with food products (90/128/EEC)
Waterproof grade	IP 68
Operating temperature	-40°C to +85°C

ACCESSORIES

Tag support	PUCK HOLDER STICKER (ACIOM118B) PUCK HOLDER (ACIOM117B) PUCK STICKER (ACIOM188) 3M PT1100 - Ø 53mm – height : 1,1mm
--------------------	------------------------------------------------------------------------------------------------------------------------------

MECHANICAL DRAWINGS

